

Brisa® Fresco



BREATHABLE



ANTI
MICROBIAL



DURABLE



SOFT



EASY TO
CLEAN



EARTH
FRIENDLY



WATER
REPELLENT



CLIMATE
CONTROL



KID & PET
FRIENDLY



544-9390 Dahlia



544-3099 Lotus



544-3100 Whey



544-3101 Oatstraw



544-3102 Grotto



544-3103 Marble



544-3104 Hemp



544-3105 Sepia



544-3197 Patina



544-5265 Goldenrod



544-8210 Tangerine



544-8211 Tiger Lily



544-1341 Paprika



544-1342 Gogi Berry




544-6585 Hibiscus



544-9390 Dahlia



544-1349 Elderberry



544-7313 Sea Glass



544-4445 Pear



544-4474 Waxed Canvas



544-4477 Conifer



544-2565 Dungaree



544-2566 Azurite




544-2570 Mazarine



544-2571 Normandy



544-5711 Coconut



544-5743 Peninsula



544-5752 Flint



544-5754 Peppercorn

Subtle color variations are inherent to the grain.

Brisa® Fresco Collection

The Next Generation of Brisa

Presenting Brisa Fresco, the newest addition to the "breathable" Brisa family. Fresco imparts a fresh attitude on a classic grain, revolutionized with enhanced technologies. It maintains the spectrum of qualities tantamount to Brisa, including proprietary breathability, premium resin quality, impressive durability and notable softness. Fresco is engineered to also include **EPA registered silver based antimicrobial** technology and a newly designed polyester/ rayon backcloth for expanded upholstery capabilities.

The unique color transparency achieved by Fresco creates a striking degree of textural surface allure, emphasizing the sophistication of this tonal solid. This collection's palette offers a broad range of new possibilities, including a stimulating combination of 28 neutrals, earthen tones and brights. Designed to traverse all markets, Brisa Fresco offers an array of inspiring options for designers to integrate into any upholstery or wallcovering project.

Earth Friendly

- Greenguard® Certified
- No PVC (Polyvinyl Chloride)
- No POPs (Persistent Organic Pollutants)
- No PBDEs (Polybrominated Diphenyl Ethers)
- No HFRs (Halogenated Flame Retardants)
- Meets the most stringent VOC standards
- No Plasticizers, Heavy Metals, Stabilizers or Phthalates
- No toxic by-products
- Over 99% of solvents recaptured and recycled
- ISO 9001 Certified Mill

Maintenance & Care Instructions

Keep Ultrafabrics, LLC brand surfaces looking great by routine and proper maintenance. Clean regularly to prevent excessive dirt from accumulating. Follow these guidelines to extend the life of the fabric:

- Clean regularly with soap and water
- Wipe up spills as soon as they occur
- Remove stains with an alcohol-based cleaner like Fantastik®
- Thoroughly rinse all cleaning solution residue with water
- Air dry
- Disinfect using a 5:1 water/bleach solution
- Can also be disinfected with several commonly used healthcare cleaners, such as **CaviCide®**, **Virox®**, etc.



SPECIFICATIONS

ISO 9001-CERTIFIED PRODUCTION FACILITY

COMPOSITION:	100% POLYURETHANE SURFACE 65% POLYESTER, 35% RAYON BACKING
WEIGHT:	APPROX. 9.3 OZ. PER SQUARE YARD (APPROX. 315 GRAMS PER SQUARE METRE)
	APPROX. 14 OZ. PER LINEAR YARD (APPROX. 432 GRAMS PER LINEAR METRE)
THICKNESS:	APPROX. 1.0 MILLIMETRES
WIDTH:	54 INCHES / 137 CENTIMETRES
PUT-UP:	APPROX. 33 YDS / 30 METRES R.O.L.

CHARACTERISTICS: MEETS OR EXCEEDS:

ABRASION:	ASTM D 4157 / 300,000 DOUBLE RUBS* BS 2543 / 160,000 RUBS** <small>*WHEEL: 11MM DIAMETER</small>
TENSILE STRENGTH:	ASTM D 1117
TEAR STRENGTH:	ASTM D 1117
DIMENSIONAL CHANGE:	ASTM D 3597
SEAM STRENGTH:	ASTM D 751
STRETCH & SET:	SAE J855
AIR PERMEABILITY:	ASTM D 737
ANTIMICROBIAL:	ASTM E 2180

COLORFASTNESS:

EROSION:	AATCC 8, CLASS 5 DRY & 5 WET
LIGHT:	AATCC 161, AATCC 16A, CLASS 4-5 ISO 105 - B02: 1999 GRADE 7/8
GAS:	AATCC 23, CLASS 5
OZONE:	AATCC 109, CLASS 5

F/R RATING: (HFR FREE)

ASTM E 84 (ADHERED)	CLASS A
CA 117 E	CLASS 1
FMVSS 302 & 95/28 ANNEX IV	PASS
NEPA 260	CLASS 1
ULFAC	CLASS 1

* CAN BE TREATED TO MEET FABRIC SPECIFICATIONS.

* THESE FABRICS, WHEN TREATED AND/OR USED WITH OTHER COMPATIBLE FURNITURE COMPONENTS, HAVE BEEN SHOWN TO PERFORM WELL UNDER THE IRLC TEST CONDITIONS OF CALIFORNIA TECHNICAL BULLETIN 133-BS 5852 PT. 0.14.5 HFRB 52 MD-A 622 ISO BS 7175 AND BS 5867 PART 2 TYPE B.



For more information, visit us on the web at www.ultrafabricsllc.com

For more detailed information, visit us on the web at www.ultrafabricsllc.com

Fabrics Disclaimer

RT London upholsters all lounge furniture across the roll unless otherwise specified. Pattern matching is not guaranteed, special requests to pattern match must be made during the ordering process and may require an additional fee. Please note that if your order specifies a polyurethane, this product inherently stretches and could cause a rippling effect after use – for alternate choices, please contact our design department by emailing designservices@rtlondon.com.