


RT LONDON

GRADE 1



Fabric Specifications and Technical Data

	Dillon	High Cotton	Fine Tune	Winslow	Benday
Content:	Polyurethane 100%	Polyester 100%	Polyester 100%	Polyester 100%	Polyester 100%
Width:	54"	54"	54"	54"	54"
Cleaning Code:	WS	WS	WS	WS	ws
Abrasion:	200,000	100,000	40,000	40,000	30,000
Weight:	20.32 ozs.	17.44 ozs.	15.84 ozs.	11.2 ozs.	11.52 ozs.
Flammability:	CA 117. Sec E	CA 117. Sec E	CA 117. Sec E	CA 117. Sec E	CA 117. Sec E
Lightfastness:	40 hours	40 hours	40 hours	40 hours	40 hours
	Class 4	Class 4	Class 4	Class 4	Class 4
Colorfastness:	Wet: Class 5	Wet: Class 4	Wet: Class 3	Wet: Class 4	Wet: Class 4
	Dry: Class 5	Dry: Class 4	Dry: Class 4	Dry: Class 4	Dry: Class 4
Break Strength:	Warp: 130 lbs.	Warp: 87 lbs.	Warp: 80 lbs.	Warp: 106 lbs.	Warp: 88 lbs.
ASTM D4034	Weft: 120 lbs.	Weft: 106 lbs.	Weft: 65 lbs.	Weft: 87 lbs.	Weft: 86 lbs.
Seam Slippage	Warp: 61 lbs.	Warp: 76 lbs.	Warp: 43 lbs.	Warp: 74 lbs.	Warp: 72 lbs.
ASTM D4034	Weft: 81 lbs.	Weft: 92 lbs.	Weft: 59 lbs.	Weft: 49 lbs.	Weft: 75 lbs.
Piling Resistance	Class 5	Class 5	Class 4	Class 4	Class 4

Fabrics are made in China.



For samples or further information, please contact: Culp, Inc. Contract Fabrics 1823 Eastchester Drive High Point, NC 27265 Phone: (336)-889-5161 • Fax: (336)-881-8631 www.culp.com

Fabrics Disclaimer

RT London upholsters all lounge furniture across the roll unless otherwise specified. Pattern matching is not guaranteed, special requests to pattern match must be made during the ordering process and may require an additional fee. Please note that if your order specifies a polyurethane, this product inherently stretches and could cause a rippling effect after use – for alternate choices, please contact our design department by emailing designservices@rtlondon.com.

Fabrics used for Third Party product must be tested for and approved for use outside the standard fabric compatibility upholstery test. Please contact designservices@rtlondon.com for fabric testing on Third Party products.