





## SEATINGCOORDINATES

---







**ALIGN**  
398-009 Fruit Punch




**KEY LARGO**  
KL-012 Wheat




**KEY LARGO**  
KL-009 Tangerine




**KEY LARGO**  
KL-019 Cayenne



**OPTIC**  
424-019 Tangerine



**OPTIC**  
424-009 Sunrise




**OPTIC**  
424-001 Red




**PATIO**  
420-009 Coral Reef




**PATIO**  
420-001 Sangria



**JIVE**  
461-009 Mango




**JIVE**  
461-001 Bordeaux



**NOBLE**  
NB-002 Dijon




**NOBLE**  
NB-009 Apricot



**NOBLE**  
NB-008 Sangria



**FEDORA**  
621-002 Topaz



**FEDORA**  
621-019 Tangelo




**FEDORA**  
621-011 Tomato




**BALI**  
457-009 Terra



**BALI**  
457-001 Fiesta



**TANGO**  
460-011 Coral




**TANGO**  
460-001 Sangria



**BALI**  
457-011 Merlot



**BALI**  
457-005 Aubergine



**FEDORA**  
621-009 Persimmon



**FEDORA**  
621-001 Ruby




**FEDORA**  
621-008 Plum



**BATIK**  
396-008 Ablaze

Additional colors are available. Please refer to the Mayer Fabrics website.





**ALIGN**  
398-014 Moody Blue




**KEY LARGO**  
KL-033 Pear




**KEY LARGO**  
KL-024 Nassau




**KEY LARGO**  
KL-014 Aegean




**OPTIC**  
424-033 Myrtle




**OPTIC**  
424-024 Ocean




**OPTIC**  
424-004 Yale




**PATIO**  
420-024 Aquatint



**PATIO**  
420-004 Oceanic




**JIVE**  
461-014 Aegean



**JIVE**  
461-004 Midnight



**NOBLE**  
NB-013 Citrus



**NOBLE**  
NB-014 Teal



**NOBLE**  
NB-024 Blue Fog



**FEDORA**  
621-013 Citron




**FEDORA**  
621-043 Aquamarine




**FEDORA**  
621-014 Indigo



**BALI**  
457-013 Lichen




**BALI**  
457-014 Ocean




**TANGO**  
460-013 Limeade



**TANGO**  
460-024 Surfside




**BALI**  
457-003 Meadow



**BALI**  
457-004 Indigo



**FEDORA**  
621-033 Opal



**FEDORA**  
621-053 Aegean




**FEDORA**  
621-004 Midnight



**BATIK**  
396-004 Seaworthy

Additional colors are available. Please refer to the Mayer Fabrics website.





**ALIGN**  
398-006 Java



**KEY LARGO**  
KL-020 Sandstone



**KEY LARGO**  
KL-026 Quarry



**KEY LARGO**  
KL-006 Graphite




**OPTIC**  
424-026 Elephant




**OPTIC**  
424-016 Coal




**OPTIC**  
424-000 Brown Bear




**PATIO**  
420-000 Basket



**PATIO**  
420-006 Slate



**JIVE**  
461-016 Pewter




**JIVE**  
461-006 Smoke



**NOBLE**  
NB-036 Dove



**NOBLE**  
NB-067 Stone



**NOBLE**  
NB-066 Slate Grey



**FEDORA**  
621-036 Dapper



**FEDORA**  
621-026 Pewter




**FEDORA**  
621-006 Bitumen




**BALI**  
457-007 Alabaster




**BALI**  
457-016 Metal



**TANGO**  
460-002 Sunrise



**TANGO**  
460-006 Flint



**BALI**  
457-000 Mocha




**BALI**  
457-006 Jet




**FEDORA**  
621-017 Fawn



**FEDORA**  
621-000 Mink




**FEDORA**  
621-010 Espresso




**BATIK**  
396-006 Blue Clay

Additional colors are available. Please refer to the Mayer Fabrics website.







ALIGN – Repeat: 3.625 in/9.21 cm H, 4.375 in/11.11 cm V  
Shown Railroaded



Batik – Repeat: 2.5 in/6.35 cm H, 4.813 in/12.23 cm V




PATIO – Repeat: 1.875 in/4.76 cm H, 1.25 in/3.18 cm V




Tango – Repeat: 4.8 in/12.19 cm H, 4.8 in/12.19 cm V

Railroaded: This feature allows reduction of seams and enables smoother furniture tailoring.



Fabric “up the roll”  
or “regular” position



Fabric “railroaded” or  
“top selvage” position

We recommend all railroaded patterns should be upholstered as shown on card.

CARE AND CLEANING INFORMATION

W: Water-Based Cleaner      WS: Water/Solvent Cleaner      S: Solvent Cleaner  
CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. **Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.**

**For additional care and cleaning information by pattern, please refer to the Mayer Fabrics website.**

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check



# TECHNICAL INFORMATION

## Seating Coordinates

| Pattern 54"                                    | Content and Backing                                                                           | Certifications         | Weight/ Linear Yd. | Pattern Repeat                        | Finish                                                                 | Abrasion Wyzenbeek      | Light-Fastness | Flammability                                                                   | Cleaning Code |
|------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------|--------------------|---------------------------------------|------------------------------------------------------------------------|-------------------------|----------------|--------------------------------------------------------------------------------|---------------|
| <b>ALIGN</b><br><i>Directional Railroaded</i>  | 100% Polyester<br>Backing: Acrylic                                                            | <b>GREENGUARD Gold</b> | 15.392 oz.         | 3.625" H,<br>4.375" V                 | Stain Repellent                                                        | 60,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | WS, BC        |
| <b>BALI</b><br><i>Directional</i>              | 98% Olefin, 2% Polyester<br>Backing: Acrylic                                                  | <b>GREENGUARD Gold</b> | 19.968 oz.         | 0.313" H,<br>0.125" V<br>Non-Matching | Stain Repellent –<br>PFOA & PFOS Free                                  | 51,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | WS, BC        |
| <b>BATIK</b><br><i>Directional</i>             | <b>53% Recycled Polyester (37% Post-/16% Pre-Consumer), 47% Polyester</b><br>Backing: Acrylic | <b>GREENGUARD Gold</b> | 10.592 oz.         | 2.5" H,<br>4.813" V                   | Stain Repellent                                                        | 57,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | WS, BC        |
| <b>FEDORA</b><br><i>Directional Multi-use*</i> | 100% Polyester<br>Backing: Polyester                                                          | <b>GREENGUARD Gold</b> | 17.2 oz.           | None                                  | Stain Repellent –<br>PFOA Free                                         | 100,000<br>Double Rubs  | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1<br>ASTM E84 (Unadhered)<br>Class 1 or A | W             |
| <b>JIVE</b><br><i>Directional</i>              | 100% Polyester<br>Backing: Acrylic                                                            | <b>GREENGUARD Gold</b> | 12.43 oz.          | 1.2" H,<br>0.4" V                     | Stain Repellent –<br>PFOA & PFOS Free                                  | 82,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | S             |
| <b>KEY LARGO</b><br><i>Directional</i>         | 85% Vinyl-Phthalate<br><b>Free</b> face, 15% Polyester<br>backing<br>Backing: 100% Polyester  | <b>GREENGUARD</b>      | 28 oz.             | None                                  | Soil & Stain<br>Resistant Top Coat<br>with Ink Resistant<br>Technology | 250,000^<br>Double Rubs | 650 hours      | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | BC, CFC       |
| <b>NOBLE</b>                                   | 78% Vinyl face,<br>22% Polyester backing                                                      | <b>GREENGUARD</b>      | 30 oz.             | None                                  | Soil & Stain<br>Resistant Top Coat<br>with Ink Resistant<br>Technology | 100,000<br>Double Rubs  | 300 hours      | Cal. 117-2013<br>NFPA 260/UFAC Class 1<br>FMVSS 302                            | BC, CFC       |
| <b>OPTIC</b><br><i>Directional Multi-use*</i>  | <b>83% Post-Consumer Recycled Polyester</b><br>17% Polyester<br>Backing: Latex                | <b>GREENGUARD Gold</b> | 16.5 oz.           | 0.33" H,<br>0.2" V                    | Stain Repellent                                                        | 185,000^<br>Double Rubs | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1<br>ASTM E84 (Unadhered)<br>Class 1 or A | WS            |
| <b>PATIO</b><br><i>Directional</i>             | 100% Polyester<br>Backing: Acrylic                                                            | <b>GREENGUARD Gold</b> | 15.504 oz.         | 1.875" H,<br>1.25" V                  | Stain Repellent                                                        | 51,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | WS, BC        |
| <b>TANGO</b><br><i>Directional</i>             | 100% Polyester<br>Backing: Acrylic                                                            | <b>GREENGUARD Gold</b> | 17.27 oz.          | 4.8" H,<br>4.8" V                     | Stain Repellent –<br>PFOA & PFOS Free                                  | 80,000<br>Double Rubs   | 40 hours       | Cal. 117-2013<br>NFPA 260/UFAC Class 1                                         | S             |

### REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD Certified or Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit [mayerfabrics.com](http://mayerfabrics.com) and [UL.com/gg](http://UL.com/gg).

#### Key Largo

This product does not pose any exposure risks associated with the chemicals in Prop 65 No Added Anti-Microbial/Anti-Bacterial Chemicals Phthalate Free Lead Free BPA Free/TRIS Free/Formaldehyde Free Does not contain Conflict Minerals No Added Flame Retardant Chemicals

#### Noble

Phthalate Free (includes all Phthalates listed in CAL Prop 65 & CPSIA) BPA Free/TRIS Free/Formaldehyde Free Does not contain Conflict Minerals SB1019 Compliant - Does not contain added Flame Retardant Chemicals Does not contain any Anti-Microbial or Anti-Bacterial Chemicals Lead Free

### ADDITIONAL INFORMATION

**CAL TB 133:** All patterns may comply with California Technical Bulletin 133 when combined with appropriate components.

**^Abrasion:** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000

double rubs have not been shown to be a reliable indicator of increased fabric lifespan.



These fabrics meet or exceed these ACT performance guidelines.

#### Fedora, Optic



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.

Align, Bali, Batik, Fedora, Jive, Optic, Patio, Tango



Water and Stain Repellent Finish

# TexTile3D™

by Mayer Fabrics

For additional colors, pre-approved patterns, grade-ins, samples and specifications, please refer to the Mayer TexTile3D link.

